

QuickShip Staks building blocks





Table of contents

Panels/panel accessories	
Panels/panel tackboards	3
Panel organizers/transaction counter	4
Height adjustable	
Height adjustable base/worksurfaces	5
Worksurfaces/supports/accessories	
Worksurfaces	6
Modesty panels	7
Worksurface supports	8
Brackets	9
Pedestals/floor storage	
Pedestals	10-11
Floor storage/mobile pedestals	12
Above worksurface storage	
Wall organizer/tackboards/wall shelf	13
Highback organizers/tackboards	14
Towers/laterals/bookcases	
Slide out storage towers	15
Storage towers	16
Bookcases/laterals	17
Power/wire/management	
Electrical	18
Lighting/work accessories/wire management	19
Power supplies	20

Panels

- Panels heights: 42"h, 48"h
- Widths: 23.5"w, 24"w, 31.5"w, 33"w, 36"w, 37"w, 38"w, 39"w, 41"w, 42"w, 43"w, 47.5"w, 48"w, 55.5"w
- Vertical grain direction on panels
- Square corners
- Panels are supported by connecting into surfaces and storage with brackets



[Q-6-PAN-48/36](#) shown

Panel tackboards

Note: Tackboards attach with heavy duty Velcro

Square tackboards

- 12"h:
 - Q-FT30A (27"w-48.9735"w)
 - Q-FT30B (49"w-73.9375"w)
 - Q-FT30C (74"w-96"w)
- 18"h:
 - Q-FT30D (27"w-48.9735"w)
 - Q-FT30E (49"w-73.9375"w)
 - Q-FT30F (74"w-96"w)

Round tackboards

- 12"h:
 - Q-FTR10D (27"w-48.9735"w)
 - Q-FTR10E (49"w-73.9375"w)
 - Q-FTR10F (74"w-96"w)
- 18"h:
 - Q-FTR10A (27"w-48.9735"w)
 - Q-FTR10B (49"w-73.9375"w)
 - Q-FTR10C (74"w-96"w)



Square corner
[Q-FT30A](#) shown



Rounded corner
[Q-FTR10D](#) shown

Panel organizers

- Widths: 72"w, 84"w
- Two openings each side, handed left or right
- Organizers must be used with wall panel support Q-6-2812WPS, see worksurface supports section
- Doors and backs available in TFL or veneer
- Organizers are center mounted to panel and attached using Q-PFBKT-1 press fit brackets
- Optional locks for veneer and TFL doors



Open cubbies
[Q-6-7215RSORG4C](#) shown



Hinged doors
[Q-6-7215RSORG4DC](#) shown

Transaction counter

- Widths: 36"w, 42"w, 48"w, 60"W, 66"w, 72"W, 84"w
- Transaction counters must be used with wall panel support, see worksurface supports section
- Transaction counters are installed centered on the panel with Q-PFBKT-1 press fit brackets
- Transaction counter typically used on 42"h panel




Transaction counter
[Q-6-TRS-72/10](#) shown

Height adjustable Base


- Use with rectangular worksurfaces 22"d or 30"d, and 48"w to 72"w
- Electric base
- Rectangular post leg
- Center or offset leg
- Flat or tubular foot, glide or caster
- Cord is 10' long




Rectangular post leg



Center leg
[Q-HA22KCRE](#) for 22"d
[Q-HA30KCRE](#) for 30"d



Offset leg
[Q-HA22KFER](#) for 22"d
[Q-HA30KFER](#) for 30"d



Tubular foot,
 glide or caster

Worksurfaces

22"d Rectangular surfaces available in desk or low height, all other surfaces available in desk height only

- 22"d rectangular widths:
 - Short grain - 42"w, 48"w
 - Long grain - 30"w, 36"w, 40.5"w, 42"w, 48"w, 48.5"w, 52.5"w, 54"w, 58"W, 60"w, 60.5"w, 66"w, 71"w, 72"w, 82"w, 84"w, 90"W, 96"w
- 30"d rectangular widths: 48"w, 54"w, 58"w, 60"w, 66"w, 70"w, 71"w, 72"w, 82"w, 84"w. Long grain only
- 36"d rectangular widths: 60"w, 66"w, 72"w
- Bullet: 30x66 or 30x72. Long grain
- Collaborative left and right: 66x40 (22"d at each end)

Rectangle



[Q-6-MCT-22/48](#) 22"d short grain
[Q-6-MCT-48/22](#) 22"d long grain
[Q-6-MCT-48/30](#) 30"d worksurface (shown)
[Q-6-MCT-60/36](#) 36"d worksurface

Bullet



[Q-6-BT-72/30](#) shown

Collaborative



[Q-6-ECTR-66/40](#) shown

Worksurface Modesty panels

Below surface modesty

- Models:
 - KMPB: 30"w-47.875"w
 - KMPC: 48"w-65.875"w
 - KMPD: 66"w-84.875"w
- TFL modesty panel, horizontal grain
- Extends 12" below surface
- Brackets for TFL modesty panels will ship standard with the modesty

Worksurface edge modesty

- Widths: 48"w, 54"w, 60"w, 66"w, 72"w
- Height: 23.75"h, extends 11.5" above surface and 11" below
- Worksurface edge modesty's are available in TFL (horizontal grain), veneer (vertical grain), or fabric
- All edge modesty styles will offset from surface by 1.5" to allow for wire management
- Use Q-WEBKT-2 with TFL and veneer modesty, and Q-WEBKT-3 with fabric modesty

Below surface modesty



[Q-6-KMPC](#) shown

Worksurface edge modesty



TFL, square corners
[Q-6-WEMK-48/23.75](#)



Veneer, square corners
[Q-6-WEMW-48/23.75](#)



Fabric, square corners
[Q-6-WEMF-48/23.75](#)

Worksurface Supports

- Support panel is used to create L support with end panel or back panel
- Support base is used to support surfaces at a seam, or support a wider surface at the center, not to be used with wall panels
- Wall panel support is used to support surfaces and stabilize wall panels, must be used with overheads, shared shelving, and transaction counters, a wall panel can replace a cantilever
- Corner shelf required to stabilize wall panels when using height adjustable tables
- Wing end assemblies are used to create a breakfront modesty on desk approach side, when used with back panel
- Peninsula end panel includes angle brackets for support. One bracket for 22"d surface, two brackets for 30"/36"d surface. Vertical grain direction
- Veneer legs to be used with peninsula or runoff surface only, cannot be used to create a table desk, desk height. **Note:** Because of the unique color of the hardwoods, these finishes will be a solid paint color: Linen, Oslo, Pecan, Steel Grey, Blonde, Honey, Desert and Silver Grey
- Metal square, cylinder, and peninsula legs are used to support runoff and peninsula desks
- Metal Reese leg: Set of 2
- H and O Legs: 22"w and 30"w, single leg
- MBAR support bar must be used when H and O legs create a table desk, a veneer or laminate modesty is recommended to hide viewing the bar from the approach side
- T riser support: T versions are not intended to be used with additional weight on top of the surface
- Back panel, static: Supports desk to low height worksurfaces. Static back panels in TFL will have horizontal grain pattern, and veneer back panels will have vertical grain pattern.
Note: For static panel with access slot, minimum back panel width is 22"w



Support panel
[Q-6-2812SP](#)



Support base
[Q-6-2812SB2](#)



Wall panel support
[Q-6-2812WPSP](#)



Panel corner support
[Q-6-2108SHLF](#)



Wing end assemblies
[Q-6-N1630LWA](#) shown



Peninsula end panel
[Q-6-2830TEP](#) shown



End panel
[Q-6-2822MEP](#)



Veneer leg
[Q-6-22WLB](#) shown



Metal square
[Q-6-L2S](#)



Metal cylinder
[Q-6-CB4](#)



Metal peninsula base
[Q-6-PBASE](#)



Metal reese
[Q-6-R7L](#)



H leg
[Q-6-30HBA1](#) shown



O leg
[Q-6-30OB1](#) shown



H/O Leg Support Bar
[Q-MBAR-72](#) shown




T-shape riser
[Q-6-RSP-18/9.5](#) shown




Back panel, static
[Q-6-28MCCB](#) shown

Brackets

- Open cantilever is standard version used in Staks open plan
- Concealed cantilever can be used along aisle ways, concealed cantilever should not take the place of all open cantilevers
- Mini cantilever can be used in pairs to support surface corners
- Worksurface to storage brackets connect surfaces to pedestals and tower sides, and surfaces to panels. Use one Q-SCWBKT-1 with 22"d worksurfaces, use two Q-SCWBKT-2 with 30"d and 36"d worksurfaces
- Worksurface straightener is used when span of unsupported worksurface is greater than 48"w. Widths available in 48"w, 54"w, 60"w, 66"w
- Pedestal to wall brackets are used with 19"d pedestals, use Q-PEDBKT-1 (Z shaped) for standard back pedestals, use Q-PEDBKT-2 (L shaped) for hinged back pedestals
- Clamp plates are used to adjoining two surfaces together at a seam. Two clamp plates for 22"d worksurfaces, three clamp plates for 30"d and 36"d worksurfaces
- Press fit brackets are used to connect transaction counters, shared shelves and organizers to Staks wall panels
- Worksurface edge modesty brackets clamps edge modesty to the front of worksurface. Use WEBKT-1 for acrylic, WEBKT-2 for TFL and veneer, and WEBKT-3 for fabric
- Height adjustable leg panel bracket attaches Staks panel to height adjustable leg. Set of 2, leaves 1.5" wire management gap
- Mounting block used for PD-1 pencil drawer when worksurface straighteners are used




Open cantilever
[Q-OWSBKT22](#) shown



Concealed cantilever
[Q-WSBKT22](#)




Mini cantilever
[Q-WSBKT](#)




Worksurface to storage bracket
[Q-SCWBKT-1](#) shown




Worksurface straightener
[Q-SPTR48](#) shown




Pedestal wall bracket,
Z shape
[Q-PEDBKT-1](#)




Pedestal wall bracket,
L shape
[Q-PEDBKT-2](#)




Clamp plate
[Q-CP-1](#)




Worksurface edge modesty
bracket, wood or TFL
[Q-WEBKT-2](#)




Worksurface edge modesty
bracket, fabric
[Q-WEBKT-3](#)



Press fit bracket
[Q-PFBKT-1](#)



Height adjustable leg to
wall panel bracket
[Q-6-HAWPB](#)



Mounting block
[Q-TFBLK](#)

Pedestals Worksurface height, no riser/leg

General

- Creates a 29" worksurface height
- Worksurface required
- Pedestals cannot be freestanding

Box/box/file

- Widths: 15.625"w, 30"w, 36"w
- 15.625"w depths: 19"d, 22"d, 30"d. **Note:** 19"d leaves 2.5" gap behind pedestal for wire management
- 30"w and 36"w depths: 22"d

File/file

- Widths: 15.625"w, 24"w, 30"w, 36"w
- 15.625"w depths: 19"d, 22"d, 30"d. **Note:** 19"d leaves 2.5" gap behind pedestal for wire management
- 24"w, 30"w and 36"w depths: 22"d

Multi file

- Width: 30"w
- Depths: 19"d and 22"d. **Note:** 19"d leaves 2.5" gap behind pedestal for wire management

Door cabinet

- Width: 30"w and 36"w
- Depth: 22"d
- One adjustable shelf

Open shelf

- Width: 30"w and 36"w
- Depth: 22"d
- One adjustable shelf

Box/box/file



15.625"w
[Q-6-NW1622MPD1](#) shown

30"w/36"w
[Q-6-NW3022MPD1](#) shown

File/file



15.625"w
[Q-6-NW1622MPD3](#) shown

30"w/36"w
[Q-6-NW3022MPD3](#) shown

Multi file



Left hand
[Q-6-NW3022MPD12L](#) shown

Right hand
[Q-6-NW3022MPD12R](#) shown

Door cabinet



[Q-6-NW3022MPD4](#) shown

Open shelf



[Q-6-NW3021MPD6](#) shown

Pedestals Low height, no riser/leg

General

- Creates a 23" h worksurface height
- Worksurface required
- Pedestals cannot be freestanding
- Optional cushions available
- Depths: 19" d, 22" d. **Note:** 19" d leaves 2.5" gap behind pedestal for wire management

Box/lateral file

- Widths: 24" w, 30" w, 36" w
- One box and one lateral file drawer

Open shelf

- Widths: 24" w, 30" w, 36" w
- One adjustable shelf

Box/file



[Q-6-NL2419MPD8](#) - 19" d
[Q-6-NL2422MPD8](#) - 22" d (shown)

Open shelf



[Q-6-NL2419MPD6](#) - 19" d
[Q-6-NL2421MPD6](#) - 22" d (shown)

Pedestals Low height, 3" h square metal leg

General

- Creates a 23" h worksurface height with Q-6-SLEG
- Creates a 29" h worksurface height with Q-6-RELEG or Q-6-RLEG
- Worksurface and legs required
- Pedestals cannot be freestanding
- Optional cushions available
- Depths: 19" d, 22" d. **Note:** 19" d leaves 2.5" gap behind pedestal for wire management

Tray/file

- Widths: 24" w, 30" w, 36" w
- One tray and one lateral file drawer

Open shelf

- Widths: 24" w, 30" w, 36" w
- One adjustable shelf

On Q-6-SLEG



Tray/file
[Q-6-RL2419MPD11](#) - 19" d
[Q-6-RL2422MPD11](#) - 22" d (shown)



Open shelf
[Q-6-RL2419MPD6](#) - 19" d
[Q-6-RL2421MPD6](#) - 22" d (shown)

On Q-6-RLEG or Q-6-RELEG



Tray/file
Use same model as Q-6-SLEG



Open shelf
Use same model as Q-6-SLEG

Pedestals Cushion

- Widths: 24"w, 30"w, 36"w

- Use with 22"d low height pedestals



[Q-6-2422SC](#)



[Q-6-3022SC](#)



[Q-6-3622SC](#)

Mobile pedestals

Box/file

- Box/file available with back notch to fit over height adjustable leg bases
- Top can be finished, or unfinished for use with Q-1619SC2 cushion

Shelf/file

- One file drawer and one open shelf behind full front drawer
- Finished top, can be used with Q-1619SC2 cushion

Box/file



[Q-6-1619MP7](#) - finished
[Q-6-1619MP8](#) - unfinished

Box/file with notch




[Q-6-1619MP8HA](#)

Shelf/file



[Q-6-1619MP3](#)



Shelf/file interior

Cushion



[Q-6-1619SC2](#)

Wall organizer

Organizers

- Height: 18.5"h
- Widths: 30"w, 36"w, 42"w, 48"w, 60"w, 66"w, 72"w, 78"w
- Depth: 15"d
- Widths 30"-42"w feature two hinged doors, 48"w three hinged doors, 54"-78"w four hinged doors
- Optional locking for hinged laminate and veneer doors
- Optional tackboards and task lights specified separately

Tackboards

- For use with wallmount organizers only
- **Note:** Cannot be used as stand alone or mounted directly to the wall
- Models:
 - Q-FT2205 for 30"w organizer
 - Q-FT2204 for 36"w organizer
 - Q-FT2203 for 42"w organizer
 - Q-FT2202 for 48"w organizer
 - Q-FT2200 for 60"w organizer
 - Q-FT2199 for 66"w organizer
 - Q-FT2198 for 72"w organizer

Organizer



[Q-6-7219HDW4](#) shown

Tackboard



[Q-FT2198](#) shown

Wall mounted shelf

- Height: 12"h
- Widths: 30"w, 36"w, 42"w, 48"w, 60"w, 66"w, 72"w
- Depth: 13"d (12"d fixed shelf)
- Not for use with wallmount tackboards or tasklights



[Q-6-7214WS](#) shown

Highback organizers

Organizer

- Widths: 60"w, 66"w, 72"w, 78"w, 84"w
- Highback organizers include wire management for task lights
- Highback organizers must be supported below the worksurface at each end, and at the center of the unit
- Optional tackboards and task lights specified separately

Tackboard

- Highback organizer can be used with or without tackboard
- Models:
 - Q-FT1214 for 60"w organizer
 - Q-FT1213 for 66"w organizer
 - Q-FT1212 for 72"w organizer
 - Q-FT1211 for 78"w organizer
 - Q-FT1210 for 84"w organizer

Organizer



[Q-6-7243HD4](#) shown

Tackboard



[Q-FT1212](#) shown

Worksurface storage

- Widths: 30" and 36"
- Height: 43"h
- Standard with finished back
- One adjustable and one fixed shelf



[Q-6-3043BC](#) shown

Slide out storage towers

General

- Width: 17"w
- Height: 48"h
- Depth: 30"d
- Left or right handed
- Refer to price guide for additional information

Felt Pockets

- Base model - Coat hook, felt pocket, stationary shelving
- Add on options - USB power, storage tray, file drawer

Shelving

- Base model - Coat hook, stationary shelving
- Add on options - USB power, file drawer

Felt pockets



Base unit
[Q-6-1748SOSR1](#) shown



With options

Shelving



Base unit
[Q-6-1748SOSR3](#) shown



With options

Storage towers

Single wide tower

- Depth: 22"d
- Heights: 48"h, 72"h
- Width: 15.625"w
- Standard as wardrobe with hanging bar (R7).
Optional shelving available (R8)

Double door/lateral file

- Widths: 30"w, 36"w
- One stationary and two adjustable shelves
- Door options: TFL or wood panel standard

Double door tower

- Depth: 22"d
- Height: 72"h
- Widths: 30"w, 36"w
- Left side:
 - One stationary and one adjustable shelf
- Right side:
 - Wardrobe with metal coat rod
 - One stationary and one adjustable shelf

Single wide tower



R7 Hanging bar, standard
[Q-6-1648RSC1](#) 48"h
[Q-6-1672RSC1](#) 72"h (shown)



Single door (72"h shown)
R8 shelves

Double door/lateral



[Q-6-3672SC5](#) shown

Double door tower



[Q-6-3672SC1](#) shown

Bookcases

- Depth: 14" d
- Widths: 30" w, 36" w
- Height: 72" h
- Three adjustable shelves, two stationary
- Unfinished back



[Q-6-3672BC](#) shown

Laterals

- Lateral files include finished top and back, and anti-tilt mechanism for freestanding application
- Widths: 30" w, 36" w
- Finished top
- Heights:
 - 29" h two drawer
 - 54" h four drawer



29" h
[Q-6-N3629LF2](#) shown

54" h
[Q-6-N3654LF4](#) shown

Electrical 3 circuit / 5 wire

- Infeed: Metal, 10' cord
- Power block bracket mounts power block to underside of surface, one bracket for single blocks, two brackets for double blocks


- Power blocks are double sided and house duplex receptacles
- Duplexes available in circuit I, II and III




Infeed
[Q-PWF5M120](#)




Power jumper
[Q-MCJ5W36M](#)




Duplex
[Q-DPX5W1](#) shown



Single power block,
double sided
[Q-PB5S1](#)



Double power block,
double sided
[Q-PB5D1](#)



Power block bracket
[Q-PBBKTA2](#)

Electrical 4 circuit / 8 wire

- Infeed: Metal, 10' cord
- H block allows connection of up to four jumpers
- Jumper connector allows connection of two jumpers
- Duplexes available in circuit I, II, III and IV

- Power blocks are available as single or double, half blocks
- Power block bracket mounts power block to underside of surface, one bracket for single blocks, two brackets for double blocks




Hardwired infeed -
Liquid Tight or metal
[Q-PWF3M120](#)




Power jumper
[Q-MCJ8W36M](#)




H Block
[Q-HCB2](#)




Jumper connector
[Q-JC-2](#)




Duplex
[Q-DPX8W1](#) shown



Power block,
single half (1 duplex)
[Q-PHBS1](#)



Power block,
double half (2 duplexes)
[Q-PHBD1](#)




Power block bracket
[Q-PBBKT1](#)


Power supplies

- Requires factory cutout
- Recesses into worksurface
- Q-PS-68: One outlet, two USB charging ports, 9' cord, silver or black
- Q-PS-69: Two outlets, two USB charging ports, 9' cord, silver or black
- Q-PS-70: Two outlets, two USB charging ports, one data jack, 9' cord, silver or black
- Q-PS-99: Two outlets, two USB charging ports, one data jack, one HDMI coupler, 9' cord, anodized aluminum
- Q-PS-78: Two outlets, two USB charging ports, one data jack, 6' cord, anodized aluminum
- Q-PS-81: Three 110v outlets each side, one HDMI port, one VGA port, RJ-5 voice jack, RJ-45 data jack, two USB charging port, 10' cord, silver or black


Recessed




[Q-PS-68S](#) shown




[Q-PS-69S](#) shown




[Q-PS-70S](#) shown



[Q-PS-99S](#) shown



[Q-PS-78](#)



[Q-PS-81S](#) shown

Wire management

- Q-WM-V4 Velcro wire manager strip comes in pack of four, not intended for heavy duty cabling
- Plastic wire manager: Use under surface. Widths include: 12"w, 24"w, 36"w, 48"w, 60"w, 72"w. Can be field cut
- Wire basket manager: Use under surface. widths include 18"w, 33"w, 57"w, 69"w
- Q-WM-HA height adjustable wire manager commonly used in stand alone height adjustable table applications
- Q-WM-HA2 and Q-WM-HA3 height adjustable wire manager commonly used in table to table connections. HA2 is black/silver combination, HA3 is silver/silver combination



Velcro wire manager
[Q-WM-V4](#)




Plastic wire manager
[Q-WM-36](#) shown



Wire basket manager
[Q-WBT33H](#) shown




Height adjustable
table desk manager
[Q-WM-HA](#)



Height adjustable
table to table manager
[Q-WM-HA2](#) shown

Lighting

- For wallmount and highback organizers only
- Fluorescent (Q-TL-1 and Q-TL-6):
 - Q-TL-1 cannot be used with 30" or 36" w organizers
 - Q-TL-6 use with organizers 72" w and wider
 - On/off switch
- LED Energy Efficient 5200K (Q-TL-16): Silver frame, On/Off Switch
- LED task light efficient 3000K (Q-TL-27, Q-TL-28, Q-TL-30): Black alloy frame, touch and hold dimming



Fluorescent
[Q-TL-1, Q-TL-6](#)



LED
[Q-TL-16](#)



LED
[Q-TL-27, Q-TL-28, Q-TL-30](#)

Work accessories


Drawers

- Pencil drawer: black molded plastic, flush mount
- Center drawer with integrated pencil tray mounts to underside of surface.
 - Q-OCD: Use with single, double pedestal desks or peninsula tops with no modesty
 - Q-OCD1: Use with peninsula tops with a modesty

Monitor arms


- Single or double monitor arms
- Available in silver
- Smart base with integrated USB-A and USB-C
- Top down clamp or grommet mount
- Concealed cable management
- For screens 17"-35", weight 4-24.2 lbs

Pencil drawer




[Q-PD-1](#)

Center drawer




[Q-OCD](#)
[Q-OCD1](#)

Monitor arms



Single arm
[Q-MA-5S](#)



Double arm
[Q-MA-5D](#)