




Intermix® Conference

For easy selection of bases we have compiled a quick reference guide of compatible bases with tops.

BASE OPTIONS FOR ROUND AND SQUARE TOPS



Note: All round and square conference tops require additional weight in the base when using cylinder bases to prevent the table from tipping over. OFS provides instruction sheets and clear 6ml bags with base. Customer must provide dry sand for the additional weight.


24" tops - require 1 base




30" tops - require 1 base




36" tops - require 1 base or 2 sets



42" tops - require 1 base or 2 sets



48" tops - require 1 base or 2 sets



54", 59.5" and 60" tops - require 1 base or 2 sets






Intermix® Conference

For easy selection of bases we have compiled a quick reference guide of compatible bases with tops.

BASE OPTIONS FOR OVAL TOPS



Note: b/base denotes distance between bases

60"W x 30"D tops - require 2 bases or sets (1 base required when ordering ASK4218)



MCB-17
5" b/bases



ASK4218
22" b/bases

72"W x 36"D tops - require 2 bases or sets (1 base required when ordering ASK4218)




MCB-23
19" b/bases



ASK4218
22" b/bases

BASE OPTIONS FOR RECTANGULAR AND RACETRACK TOPS



Note: b/base denotes distance between bases

72"W x 36"D tops - require 2 bases or sets (1 base required when ordering ASK4218) *Note: MCB-23 and ASK4218 not available with Glass Top



CC-M18HC
CC-W18HC
26" b/bases



CC-M22VB
CC-W22VB
24.5" b/bases



CC-M21PB
CC-W21PB
37.25" b/bases



CC-M21PBW
CC-W21PBW
37.25" b/bases



CC-M21TPB
CC-W21TPB
27" b/bases



CC-M21EB
CC-W21EB
33.25" b/bases



*MCB-23
13" b/bases



*ASK4218
22" b/bases



CC-32MTB3
36.5" b/bases



CC-32MTB4
37" b/bases

84"W x 42"D tops - require 2 bases or sets (1 base required when ordering ASK5923) *Note: MCB-23 and ASK5923 not available with Glass Top



CC-M24HC
CC-W24HC
26.5" b/bases



CC-M25VB
CC-W25VB
25" b/bases



CC-M24PB
CC-W24PB
41.25" b/bases



CC-M24PBW
CC-W24PBW
41.25" b/bases



CC-M24TPB
CC-W24TPB
31" b/bases



CC-M24EB
CC-W24EB
37.25" b/bases



*MCB-23
17" b/bases



*ASK5923
34" b/bases



CC-32MTB3
40.5" b/bases




CC-32MTB4
41" b/bases



Intermix® Conference

For easy selection of bases we have compiled a quick reference guide of compatible bases with tops.

BASE OPTIONS FOR RECTANGULAR, RACETRACK AND BOAT SHAPED TOPS



Note: b/base denotes distance between bases

96"W x 42"D tops - require 2 bases or sets (1 base required when ordering ASK7123, ASK7123B) *Note: MCB-23, ASK7123, and ASK7123B not available with Glass Top



CC-M24HC
CC-W24HC
31.5" b/bases



CC-M25VB
CC-W25VB
29" b/bases



CC-M24PB
CC-W24PB
45" b/bases



CC-M24PBW
CC-W24PBW
45" b/bases



CC-M24TPB
CC-W24TPB
35" b/bases



CC-M24EB
CC-W24EB
41.25" b/bases



*MCB-23
21" b/bases



*ASK7123
46" b/bases



*ASK7123B
46" b/bases



CC-32MTB3
44.5" b/bases






CC-32MTB4
45" b/bases



Intermix® Conference

For easy selection of bases we have compiled a quick reference guide of compatible bases with tops.

BASE OPTIONS FOR RECTANGULAR, RACETRACK AND BOAT SHAPED TOPS



Note: b/base denotes distance between bases

120"W x 48"D tops - require 3 bases or sets (1 base required when ordering CC-M8027TPBK, CC-W8027TPBK, or ASK9826)

*Note: MCB-28 and ASK9826 not available with Glass Top



CC-M24HC (2 qty.) +
CC-M24PB or
CC-M24PBW
CC-W24HC (2 qty.) +
CC-W24PB or
CC-W24PBW
26.75" b/bases



CC-M25VB (2 qty.) +
CC-M24PB or
CC-M24PBW
CC-W25VB (2 qty.) +
CC-W24PB or
CC-W24PBW
25.5" b/bases



CC-M24PB
CC-W24PB
33.5" b/bases



CC-M24PBW
CC-W24PBW
33.5" b/bases



CC-M24TPB
CC-W24TPB
25.5" b/bases



CC-M24EB
CC-W24EB
29.5" b/bases



*MCB-28
6" b/bases



CC-M8027TPBK
CC-W8027TPBK



*ASK9826
34" b/bases
62" b/bases



CC-35MTB3 (2 qty.) +
CC-35MTB3C
33" b/bases



CC-35MTB4
33" b/bases

144"W x 48"D tops - require 3 bases or sets (1 base required when ordering CC-M10427TPBK, CC-W10427TPBK, or ASK12226)

*Note: MCB-28, ASX38, TSX38, ASK12226 not available with Glass Top. ASX38 and TSX38 not available with Casters



CC-M24HC (2 qty.) +
CC-M24PB or
CC-M24PBW
CC-W24HC (2 qty.) +
CC-W24PB or
CC-W24PBW
38.75" b/bases



CC-M25VB (2 qty.) +
CC-M24PB or
CC-M24PBW
CC-W25VB (2 qty.) +
CC-W24PB or
CC-W24PBW
37.5" b/bases



CC-M24PB
CC-W24PB
45.75" b/bases



CC-M24PBW
CC-W24PBW
45.75" b/bases



CC-M24TPB
CC-W24TPB
37.5" b/bases



CC-M24EB
CC-W24EB
41.5" b/bases



*MCB-28
18" b/bases



*ASX38
14.5" b/bases



*TSX38
14.5" b/bases



*ASK12226
46" b/bases



CC-M10427TPBK
CC-W10427TPBK
84.5" b/bases



CC-35MTB3 (2 qty.) +
CC-35MTB3C
45" b/bases




CC-35MTB4
45" b/bases



Intermix® Conference

For easy selection of bases we have compiled a quick reference guide of compatible bases with tops.

BASE OPTIONS FOR RECTANGULAR, RACETRACK AND BOAT SHAPED TOPS



Note: b/base denotes distance between bases

168"W x 48"D tops - require 3 bases or sets (1 base required when ordering CC-M12827TPBK, CC-W12827TPBK or ASK13426)

*Note: MCB-28, ASX38, TSX38, ASK13426 not available with Glass Top. ASX38 and TSX38 not available with Casters



CC-M20CB
CC-W20CB
32.25" b/bases



CC-M24HC (2 qty.) +
CC-M24PB or
CC-M24PBW
CC-W24HC (2 qty.) +
CC-W24PB or
CC-W24PBW
50.75" b/bases



CC-W23SB
29.25" b/bases



CC-M25VB (2 qty.) +
CC-M24PB or
CC-M24PBW
CC-W25VB (2 qty.) +
CC-W24PB or
CC-W24PBW
49.5" b/bases



CC-M24PB
CC-W24PB
57.75" b/bases



CC-M24PBW
CC-W24PBW
57.75" b/bases



CC-M24TPB
CC-W24TPB
49.5" b/bases



CC-M24EB
CC-W24EB
53.5" b/bases



*MCB-28
30" b/bases



CC-35MTB3 (2 qty.) +
CC-35MTB3C




CC-35MTB4
57" b/bases
57" b/bases




*ASX38
26.5" b/bases



*TSX38
26.5" b/bases



CC-M12827TPBK
CC-W12827TPBK



*ASK13426
34" b/bases
108.5" b/bases

192"W x 48"D tops - require 3 or 4 bases or sets (1 base required when ordering CC-M15227TPBK, CC-W15227TPBK, or ASK17026)

*Note: MCB-28, ASX38, TSX38, ASK17026 not available with Glass Top. ASX38 and TSX38 not available with Casters



CC-M20CB (3 qty.)
CC-W20CB (3 qty.)
44.25" b/bases



CC-M24HC (2 qty.) +
CC-M24PB (2 qty.) or
CC-M24PBW (2 qty.)
CC-W24HC (2 qty.) +
CC-W24PB (2 qty.) or
CC-W24PBW (2 qty.)
41.25" b/bases



CC-W23SB (3 qty.)
37.75" b/bases



CC-M25VB (2 qty.) +
CC-M24PB (2 qty.) or
CC-M24PBW (2 qty.)
CC-W25VB (2 qty.) +
CC-W24PB (2 qty.) or
CC-W24PBW (2 qty.)
38.625" b/bases



CC-M24PB (4 qty.)
CC-W24PB (4 qty.)
46" b/bases



CC-M24PBW (4 qty.)
CC-W24PBW (4 qty.)
46" b/bases



CC-M24TPB (4 qty.)
CC-W24TPB (4 qty.)
38.375" b/bases



CC-M24EB (4 qty.)
CC-W24EB (4 qty.)
41.75" b/bases



*MCB-28 (3 qty.)
42" b/bases



CC-35MTB3 (2 qty.) +
CC-35MTB3C (2 qty.)



CC-35MTB4 (4 qty.)
45" b/bases
45.188" b/bases




*ASX38 (3 qty.)
38.75" b/bases



*TSX38 (3 qty.)
38.75" b/bases



CC-M15227TPBK
CC-W15227TPBK
132.5" b/bases



*ASK17026




48" b/bases



Intermix® Conference

For easy selection of bases we have compiled a quick reference guide of compatible bases with tops.

BASE OPTIONS FOR TAPERED TOPS



Note: b/base denotes distance between bases

72"W x 36"D (28" narrow edge) tops - require 2 bases or sets *Note: MCB-17 and MCB-23 not available with Glass Top



CC-M18HC
CC-W18HC
26" b/bases



CC-M22VB
CC-W22VB
24.5" b/bases



CC-M21PB
CC-W21PB
37.25" b/bases



CC-M21PBW
CC-W21PBW
37.25" b/bases



CC-M21TPB
CC-W21TPB
27" b/bases



CC-M21EB
CC-W21EB
33.25" b/bases



*MCB-17 +
*MCB-23



CC-32MTB3
36.5" b/bases



CC-32MTB4
37" b/bases

84"W x 42"D (28" narrow edge) tops - require 2 bases or sets *Note: MCB-17 and MCB-23 not available with Glass Top



CC-M18HC +
CC-M24HC
CC-W18HC +
CC-W24HC
34" b/bases



CC-M22VB +
CC-M25VB
CC-W22VB +
CC-W25VB
30.75" b/bases



CC-M21PB +
CC-M24PB
CC-W21PB +
CC-W24PB
41.25" b/bases



CC-M21PBW +
CC-M24PBW
CC-W21PBW +
CC-W24PBW
41.25" b/bases



CC-M21TPB +
CC-M24TPB
CC-W21TPB +
CC-W24TPB
31" b/bases



CC-M21EB +
CC-M24EB
CC-W21EB +
CC-W24EB
37.25" b/bases



*MCB-17 + *MCB-23
20" b/bases



CC-32MTB3
40.5" b/bases



CC-32MTB4
41" b/bases

96"W x 48"D (34" narrow edge) tops - require 2 bases or sets *Note: MCB-23 and MCB-28 not available with Glass Top



CC-M18HC +
CC-M24HC
CC-W18HC +
CC-W24HC
38" b/bases



CC-M22VB +
CC-M25VB
CC-W22VB +
CC-W25VB
34.75" b/bases



CC-M21PB +
CC-M24PB
CC-W21PB +
CC-W24PB
42.25" b/bases



CC-M21PBW +
CC-M24PBW
CC-W21PBW +
CC-W24PBW
45.25" b/bases



CC-M21TPB +
CC-M24TPB
CC-W21TPB +
CC-W24TPB
39" b/bases



CC-M21EB +
CC-M24EB
CC-W21EB +
CC-W24EB
41.25" b/bases



*MCB-23 + *MCB-28
24" b/bases



CC-35MTB3 +
CC-32MTB3
44.5" b/bases




CC-35MTB4 (1 qty.) +
CC-32MTB4 (1 qty.)
45" b/bases



Intermix® Conference

For easy selection of bases we have compiled a quick reference guide of compatible bases with tops.

BASE OPTIONS FOR TAPERED TOPS



Note: b/base denotes distance between bases

120"W x 48"D (34" narrow edge) tops - require 3 bases or sets (1 base required when ordering CC-M8033TPBK or CC-W8033TPBK)

*Note: MCB-23 and MCB-28 not available with Glass Top



CC-M18HC + CC-M24HC +
CC-M24PB or CC-M24PBW
CC-W18HC + CC-W24HC +
CC-W24PB or CC-W24PBW
29.5" b/bases



CC-M22VB + CC-M25VB +
CC-M24PB or CC-M24PBW
CC-W22VB + CC-W25VB +
CC-W24PB or CC-W24PBW
25.5" b/bases



CC-M21PB +
CC-M24PB (2 qty.)
CC-W21PB +
CC-W24PB (2 qty.)
33.5" b/bases



CC-M21PBW +
CC-M24PBW (2 qty.)
CC-W21PBW +
CC-W24PBW (2 qty.)
33.5" b/bases




CC-M21TPB +
CC-M24TPB (2 qty.)
CC-W21TPB +
CC-W24TPB (2 qty.)
25.5" b/bases




CC-M21EB + CC-M24EB (2 qty.)
CC-W21EB + CC-W24EB (2 qty.)
29.5" b/bases



*MCB-23 (2 qty.) + *MCB-28
11" b/bases MCB-23 (2 qty.)
8.5" b/bases MCB-23 & MCB-28



CC-M8033TPBK
CC-W8033TPBK
60.5" b/bases



CC-35MTB3 + CC-35MTB3C +
CC-32MTB3
33" b/bases



CC-35MTB4 (2 qty.) +
CC-32MTB4 (1 qty.)
33" b/bases


144"W x 60"D (34" narrow edge) tops - require 3 bases or sets (1 base required when ordering CC-M10433TPBK or CC-W10433TPBK)




CC-M21TPB + CC-M24TPB +
CC-M30TPB
CC-W21TPB + CC-W24TPB +
CC-W30TPB
37.5" b/bases



CC-M21EB +
CC-M24EB (2 qty.)
CC-W21EB +
CC-W24EB (2 qty.)
9.5" b/bases



CC-M10433TPBK
CC-W10433TPBK
84.5" b/bases



CC-35MTB3 + CC-35MTB3C +
CC-32MTB3
45" b/bases



CC-35MTB4 (2 qty.) +
CC-32MTB4 (1 qty.)
45" b/bases




Intermix® Conference

For easy selection of bases we have compiled a quick reference guide of compatible bases with tops.

BASE OPTIONS FOR TAPERED TOPS

Note: b/base denotes distance between bases



168"W x 60"D (34" narrow edge) tops - require 3 bases or sets (1 base required when ordering CC-M12833TPBK or CC-W12833TPBK)



CC-M18CB + CC-M20CB +
CC-M24CB
CC-W18CB + CC-W20CB +
CC-W24CB
34.25" b/bases (1st & 2nd bases)
24.25" b/bases (2nd & 3rd bases)



CC-W19SB + CC-W23SB +
CC-W27SB
34" b/bases (1st & 2nd bases)
22" b/bases (2nd & 3rd bases)



CC-M21TPB + CC-M24TPB +
CC-M30TPB
CC-W21TPB + CC-W24TPB +
CC-W30TPB
49.5" b/bases



CC-M21EB +
CC-M24EB (2 qty.)
CC-W21EB +
CC-W24EB (2 qty.)
51.5" b/bases



CC-M12833TPBK
CC-W12833TPBK
108.5" b/bases



CC-35MTB4 (2 qty.)
CC-32MTB4 (1 qty.)
57" b/bases



CC-35MTB3 + CC-35MTB3C + CC-32MTB3
57" b/bases

192"W x 60"D (34" narrow edge) tops - require 3 or 4 bases or sets (1 base required when ordering CC-M15233TPBK or CC-W15233TPBK.)



CC-M18CB + CC-M20CB +
CC-M24CB
CC-W18CB + CC-W20CB +
CC-W24CB
46.25" b/bases (1st & 2nd bases)
36.25" b/bases (2nd & 3rd bases)




CC-W19SB + CC-W23SB +
CC-W27SB
43.25" b/bases (1st & 2nd bases)
28.75" b/bases (2nd & 3rd bases)



CC-M21TPB +
CC-M24TPB (2 qty.) +
CC-M30TPB
CC-W21TPB +
CC-W24TPB (2 qty.) +
CC-W30TPB
38.375" b/bases



CC-M21EB +
CC-M24EB (3 qty.)
CC-W21EB +
CC-W24EB (3 qty.)
41.75" b/bases



CC-M15233TPBK
CC-W15233TPBK
132.5" b/bases



CC-35MTB4 (3 qty.)
CC-32MTB4 (1 qty.)
45" b/bases



CC-35MTB3 + CC-35MTB3C (2 qty.) + CC-32MTB3
45.188" b/bases