

Pulse building blocks





Table of contents

Height adjustable

Desks	3
Runoff desk	4
Bridge return	5
Metal desks	6

Built ups

Desks	7
Peninsula tables	8
Return bridge corner unit	9
Credenzas, single pedestal	10
Credenzas, kneespace storage	11
Cockpit desk components	12-13
3/4 desk components	14-15
Shell desk credenza	16

Worksurface storage

Transaction counter	17
Bookcase organizer	17
Layering storage box	18
Highback organizer	19

Wallmounts

Organizers	20
Shelf storage box	21

Free standing storage

Bench height cabinets	22
Towers	23
Lateral files bookcases	24
Mobile pedestals	24

Modular

Desk surfaces supports	25
22"d worksurface drawer pedestals	26
Storage pedestals	27
Worksurface supports	28

Miscellaneous

Lighting	29
Power supplies	30
Works accessories	31-32
Wire management	33

Height adjustable Desks

General

- 3" recessed static modesty available as full or half height. Half modesty will inset between pedestals, and/or panel base
- Half height modesty creates 11" of wall access space at the bottom of the desk
- Optional height adjustable partial modesty, fixed to underside of surface. Partial modesty is 14"h
- Lock cores for pedestal desks located inside the kneespace area
- Optional center drawer, see accessories section
- Optional grommets: right, left, or right and left
- **Note:** Not recommended for use with tackboards

Double pedestal desk

- 30x66, 30x72, 36x72
- 66"w has 34.25"w kneespace
- 72"w has 40.25"w kneespace

Single pedestal desk

- 30x66, 30x72, 36x72
- 66"w has 51.125"w kneespace
- 72"w has 55.125"w kneespace

Shell desk

- 30x60, 30x66, 30x72, 36x72
- Panel bases are 5.5"w on user side
- Straightener rail included on desks 66"w and wider

Approach side



Half static modesty (HMNP)
[4-7230HARPD-4](#) shown



Half static modesty with partial (HMWP)



Full static modesty (FMNP)



Full static modesty with partial (FMWP)

User side



Double pedestal
[4-7230HADP-4](#) shown




Single pedestal
[4-7230HARPD-4](#) shown



Shell
[4-7230HASHEL-4](#) shown

Grommets



Plan view
optional left and right grommets

Height adjustable Runoff desk

- 30x68, 30x74
- Handed left or right
- Optional height adjustable partial modesty panel attaches to worksurface
- Bench height cabinet with open shelves
- Removable outside finished end panel
- Wire management column provided
- Optional center drawer, see accessories section
- Optional surface grommets: left, right, or left and right
- Optional pedestal grommet: user side of height adjustable column
- **Note:** Not recommended for use with tackboard



User side
4-7230HALSHC2-4 shown



Approach side with optional modesty (GJ)



Optional pedestal grommet user side (H4J)

Grommets



Plan view
optional left and right grommets

Height adjustable Bridge | return

General

- Widths: 42"w or 48"w
- Depth: 22"d
- Short grain direction on worksurface
- Center grommet standard
- Wire management column provided within units
- 1" clearance created between adjacent worksurface for safety
- Two outside back options: finished outside back, or finished back with grommet. Both are standard options
- **Note:** Not recommended for use with tackboards
- **Note:** Monitor arms cannot be clamp or grommet mounted, surface mount is needed

Bridge

- Bridge has removable inside back panel for wire management access
- **Note:** Bridge must be attached on both sides

Return

- Return is handed left or right
- Return pedestal can be specified as box/box/file (C5A), or as a file/file (C5B)
- Lock cores for pedestal located inside the kneespace area
- **Note:** Return must be attached on open side

Bridge and return



Bridge
[4-2248HABR2-4](#) shown



Return - shown with file/file (C5B)
[4-2248HARPR2-4](#)



Plan view
Standard center grommet

Outside back options



Finished (LX)



Finished with grommet (H4E)

Height adjustable Metal desks


Metal base table desk

- Surface sizes: 30x48, 30x54, 30x60, 30x66, 30x72, 36x72
- Long grain direction
- Optional partial modesty attaches to underside of worksurface
- Offset square column leg, flat base foot with glide
- Optional grommets: left, right, or left and right

Metal base bridge/return

- Widths: 42" and 48"w
- Depth: 22"d
- Short grain direction
- Optional partial modesty attaches to underside of worksurface
- Offset square column leg, flat base foot with glide
- Center grommet standard

Metal base table desk



User side, no modesty
[4-7230HAD-4](#) shown



Approach side, with partial modesty (GJ)



Plan view
optional left and right grommets


Metal base bridge/return



User side, no modesty
[4-2248HAB-4](#) shown



Approach side, with partial modesty (GJ)




Plan view
Standard center grommet

Details



Leg detail



Offset leg

Built ups Desks

General

- Full or half height modesty. 3" recessed modesty panel on 30"d desks. 9" recessed modesty on 36"d desks. Half modesty will inset between pedestals, and/or end panels
- Half height modesty creates 11" of wall access space at the bottom of the desk
- Lock cores for pedestal desks located inside the kneespace area
- Optional grommets: right, left, or right and left
- Optional center drawer, see accessories section

Double pedestal desk

- Rectangular: 30x60, 30x66, 30x72, 36x72
- Bow: 36x72 (30"d end panels)
- 60"w has 28.25"w kneespace
- 66"w has 34.25"w kneespace
- 72"w has 40.25"w kneespace

Single pedestal desk

- Rectangular: 30x66, 30x72, 36x72
- Bow: 36x72 (30"d end panels)
- 66"w has 51.125"w kneespace
- 72"w has 55.125"w kneespace
- Handed left or right

Shell desk

- 30x72 or 36x72
- Can be used with modular pedestals 4-1626MBFC or 4-1626MFFC only, see modular drawer pedestal section
- **Note:** Cannot use modular peds with half height modesty. Suggested to use mobile pedestal

Approach side



Rectangular/Shell full modesty (FLMD)
(see models under user side images)



Bow front full modesty (FLMD)
[4-7236FDPB](#) (double pedestal)
[4-7236FRPDB](#) (single pedestal)



Half modesty (HLMD)
shown on single pedestal desk

User Side



Double pedestal desk
[4-7230FDP](#) shown



Single pedestal desk
[4-7230FRPD](#) shown



Shell desk
[4-7230SHEL](#) shown

Grommets



Plan view rectangular desk
optional left and right grommet shown



Plan view bow front desk
optional left and right grommet shown

Built ups Peninsula tables

General

- Handed left or right
- Metal cylinder, 4" d
- 12" h laminate modesty
- Optional grommet along end panel depth
- Optional center drawer, see accessories page
- **Note:** Cannot be used as freestanding unit

Bullet

- 30x66, 36x72, 36x84

P-shape

- Depth: 36" d at narrow end, 42" d at widest point
- Widths: 72" w, or 84" w
- Straight edge is on user side

Bullet



Bullet
[4-7236EBTR/CB4](#) shown



Plan view
Optional grommet location

P-shape



Bullet
[4-7242EPTR/CB4](#) shown



Plan view, right hand shown
Optional grommet location

Post base



Metal cylinder

Built ups Return | bridge | corner unit

General

- Center grommet standard. Additional grommets can be specified in any combination of left, right and center
- **Note:** Bridge must be connected on both sides and return must be connected on open end. Cannot be standalone units

Return

- 22x42 or 22x48, handed left or right
- Return pedestal can be specified as box/box/file, or as a file/file
- Full or half back panel
- Optional wire access slot available on full back panel only
- Half height back panel creates 11" of wall access space at the bottom of the desk

- Lock cores for pedestals located inside the kneespace area
- **Note:** Cannot be used with cockpit corner unit

Bridge

- 22x42 or 22x48
- Hinged modesty with latches standard, optional wire access slot. **Note:** Bridge with wire access option, or when attached to a height adjustable desk, loses hinge modesty capability
- **Note:** Cannot be used with cockpit desks

Corner unit

- 36x36 or 42x42, connecting ends are 22"d
- Grain direction: runs front to back, perpendicular to user side
- Grommet in worksurface corner and end panels standard
- **Note:** Cannot be used as a freestanding unit or with cockpit desk components

Return



Full height back panel (FMLD) with file/file pedestal (CB5)
[4-2248FRPR](#) shown



Half height back panel (HLMD) shown with file/file pedestal (CB5)



Return back with optional access slot (V8) (full modesty only)

Bridge



[4-2248BR](#) shown



Optional access slot (V8)

Grommets - return and bridge



Plan view - Center grommet standard. optional left and right grommets

Corner



[4-3636CU](#) shown



Plan view
standard corner grommet

Built ups Credenzas, single pedestal

General notes

- Handed left or right
- Full or half modesty back panel. Half modesty will inset between pedestals, and/or end panels
- Optional wire access slot available on full modesty only
- Half height modesty creates 11" of wall access space at the bottom of the desk
- Center grommet standard. Additional grommets can be specified in any combination of left, right and center

File/file

- 22x60, 22x66, 22x72
- Two file drawers

Lateral file

- 22x72
- Two 30"w lateral file drawers

Multi file

- 22x72
- Two box drawers, one file drawer, and one 30"w lateral file drawer



File/file, full modesty (FLMD)
[5-7222FCRR2](#) shown



Half modesty (HLMD)
shown on file/file credenza



Optional access slot for single pedestal (V8)
for full modesty only




Lateral file
[4-7222CRRL](#) shown



Multi file
[4-7222CRRM](#) shown



Optional access slot for lateral/multifile (V8)
for full modesty only



Plan view
Center grommet standard. optional left and right grommets

Built ups Credenzas, kneespace | storage

Kneespace credenzas

- 22x60, 22x66, 22x72
- 60"w has 28.25"w kneespace
- 66"w has 34.25"w kneespace
- 72"w has 40.25"w kneespace
- Four file drawers, letter or legal filing
- Full or half modesty back panel. Half modesty will inset between pedestals, and/or end panels
- Optional wire access slot available on full modesty only
- Half height modesty creates 11" of wall access space at the bottom of the desk
- Center grommet standard. Additional grommets can be specified in any combination of left, right and center

Storage credenzas

- Finished back for all storage credenzas
- Double pedestal/door credenza
 - 22x60, 22x66, 22x72
 - Four file drawers, adjustable shelf behind center hinged doors
- Lateral file
 - 22x60
 - Four lateral file drawers
 - Anti tilt mechanism
- Buffet
 - 20x71
 - Two drawers, four doors. Adjustable shelf behind each set of doors

Kneespace credenza




User side with full modesty (FLMD)
[4-7222FCR](#) shown



User side with half modesty (HLMD)



Optional wire access slot (V8)
for full modesty only



Plan view - Center grommet standard. optional left and right grommets

Storage credenzas



Pedestal/door
[4-7222FCRD](#) shown



Lateral
[4-6022CLF](#)



Buffet
[4-7036BCC](#)

Built ups Cockpit desks

General

- Optional grommet along end panel on connecting side
- Use cockpit desks with cockpit corner units and cockpit returns only

Bullet

- 48x72 peninsula desk
- **Note:** Requires 4-CB4 or 4-SB4 support base. See modular desk surfaces section
- One end panel along connecting side, 48" w
- Handed left or right
- Optional center drawer, see accessories section
- **Note:** Cannot be used as a freestanding unit

Straight front

- 48x72 single pedestal desk
- Full fixed 9" recessed modesty panel
- 36" end panel along pedestal side, 48" end panel along connecting edge
- Lock cores for pedestal desks located inside the kneespace area
- Handed left or right

Bow front

- 48x72 single pedestal desk
- Full fixed recessed modesty panel, 3" at ends and 9" at bow
- 36" end panel along pedestal side, 48" end panel along connecting edge
- Lock cores for pedestal desks located inside the kneespace area
- Handed left or right

Bullet



User side
[4-7248LBTE](#) shown

Plan view
optional grommet

Straight front



User side
[4-7248LPDC](#) shown

Plan view
optional grommet

Bow front



User side
[4-7248LPDCB](#) shown

Plan view
optional grommet

Built ups Cockpit return | corner

Return

- 22x42 or 22x48, handed left or right
- Long grain direction on worksurface
- Return pedestal can be specified as box/box/file, or as a file/file
- Full or half modesty back panel
- Optional wire access slot available on full modesty only
- Half height modesty creates 11" of wall access space at the bottom of the desk
- Lock core for pedestals located inside the kneespace area

- Center grommet standard, additional grommets can be specified in any combination of left, right, and center

- **Note:** Use with cockpit desks and corners only

Corner

- 48" w x 52" d
- Handed left or right
- Grain runs parallel to 48" side
- Standard grommet in corner
- **Note:** Use with cockpit desks and returns only

Return



Full modesty (FLMD) with file/file (C5B)
[4-4822FRPRC](#) shown




Half modesty (HLMD) with file/file (C5B)



Optional access slot (V8)
(full modesty only)



Return in desk set up



Plan view - Center grommet standard, optional left and right grommets


Corner



[4-4852LCU](#) shown



Corner in desk set up



Plan view
optional grommet

Built ups 3/4 pedestal, desks | return

Desks

- Full fixed 3" recessed modesty panel. 9" recessed modesty on 36"d desks
- Double pedestal
 - 30x60, 30x66, 30x72 and 36x72
 - Two file drawers, two box drawers
- Single pedestal
 - 30x66, 30x72, 36x72
 - One file drawer, one box drawer
 - Handed left or right
- Optional center drawer, see accessories section
- Optional grommet: right, left, or right and left

Return

- 22x42 or 22x48, handed left or right
- Full back panel standard, optional wire access slot
- **Note:** Cannot be used with cockpit corner unit
- Center grommet standard. Additional grommets can be specified in any combination of left, right and center

Desks



Approach side



User side
[4-7230DP](#) shown



User side
[4-7230RPD](#) shown

Return



[4-2248RPR](#) shown



Optional wire access slot (V8)

Grommets



Plan view desk
optional left and right grommets



Plan view return
center grommet standard
optional left and right grommets

Built ups 3/4 pedestal, credenzas

File/door

- 22x66, 22x72
- Two file drawers, two box drawers, two hinged doors. Stationary bottom shelf behind doors

Kneespace

- 22x66, 22x72
- Two file drawers, two box drawers

Single pedestal

- 22x66, 22x72
- One file drawer, one box drawer
- Handed left or right
- Full back panel standard, optional wire access slot

Grommets

- Available for kneespace/single pedestal credenzas
- Center grommet standard
- Additional grommets can be specified in any combination of left, right and center

File/door



[4-7222CRD](#) shown

Kneespace



[4-7222CR](#) shown

Single pedestal



[4-7222CRL](#) shown



optional wire access slot (V8)

Grommets



Plan view kneespace/single pedestal credenza
center grommet standard
optional left and right grommets

Built ups Shell desk | credenza

Shell desk

- 30x72, 36x72
- Full fixed 3" recessed modesty panel. 9" recessed modesty on 36"d desks
- See modular pedestal section for optional storage
- Optional grommets: any combination of right, and left

Shell credenza

- 22x72
- Finished back
- See modular pedestal section for optional storage
- Optional grommets: any combination of right, left and center locations

Shell desk



User side, full modesty (FLMD)
[4-7230SHEL](#) shown



Approach side, half modesty (HLMD)



Plan view desk
optional left and right grommets

Shell credenza



[4-7222SHEL](#)



User side



Plan view credenza
optional left and right grommets

Worksurface storage Transaction counter

- Use on 66"w and 72"w desks
- 14.13"d x 14"h
- Optional task light, see lighting section

Transaction counter



User side
4-7214TC shown



Approach side

Worksurface storage Bookcase organizer

- For use on desks, returns, credenzas and two drawer lateral files
- Widths: 30"w and 36"w
- Depth: 14"d
- Height: 42.5"h
- One stationary and one adjustable shelf
- Finished back



4-3043BC2 shown



shown on credenza

Worksurface storage Layering storage box

- 13"d x 10"h
- Two openings: 30"w, 36"w, 42"w
- Three openings: 48"w
- Four openings: 54"w, 60"w, 66"w, 72"w, 78"w, 84"w
- Two wide openings: 54"w, 60"w, 66"w, 72"w, 78"w, 84"w
- Six openings: 90"w, 94"w, 96"w, 100"w, 106"w
- Rests directly on worksurface
- Finished back
- **Note:** 54"w and wider storage boxes can span across multiple worksurfaces. Maximum of 48"w unsupported workspace span



Two openings
[4-3610SB](#) shown



Three openings
[4-4810SB](#)



Two wide openings
[4-7210SB2](#) shown



Four openings
[4-7210SB](#) shown



Six openings
[4-10010SB](#) shown

Work surface storage Highback organizer

General

- Depth: 15"d
- Widths: 60"w, 66"w, 72"w, 78"w, 84"w, 90"w, 96"w, 106"w
- Height: 42.5"h
- 23.9375" clearance from worksurface top to bottom of cabinet
- Widths 60-84"w feature four hinged doors
- Models 90"w and up feature six hinged doors
- Finished back with wire management
- Optional tackboard
- Optional task light, see lighting page

Door styles

- Full panel laminate (standard), optional locking available
- Silver frame with frosted acrylic insert

Tackboards

- Fully upholstered or tackboard/markerboard/tackboard combination
- Markerboard is white laminate
- Tackboard for 106"w highback is two pieces
- **Note:** Tackboard is separate model number. Tackboard/white markerboard/tackboard combination is specified within the highback organizer model

Door organizers



4-7243HD4-2 shown



Silver frame with frosted acrylic insert (JC)

Tackboards



Full tackboard
4-FT7022 shown



Tackboard/markerboard/tackboard (W4)
(specify within highback organizer model)

Wallmounts Organizers

Hinged Door Organizer

- Widths: 30"w, 36"w, 42"w, 48"w, 60"w, 66"w, 72"w
- Depth: 15"d
- Height: 18.63"h
- Widths 30"-42"w feature two hinged doors, 48"w three hinged doors, 60"-72"w four hinged doors
- Optional task light, see lighting page

Hinged door styles

- Full panel laminate (standard), optional locking available
- Silver frame with frosted acrylic insert

Shelf organizer

- Widths: 30"w, 36"w, 42"w
- Depth: 14"d
- Height: 18.63"h
- Open top shelf
- Optional finished back
- Optional task light, see lighting section

Tackboards

- Tackboards for 100"w and 106"w organizers are two pieces
- Mounts directly to the wall

Hinged door organizers



[4-7221HDW4](#) shown



Optional Silver frame with frosted acrylic insert doors

Shelf organizer



(2) [4-3619HSW](#) shown

Tackboard



[4-FT7223](#) shown

Wallmounts Shelf | storage box

- **Note:** not for use with tackboards or tasklights

Wall shelf

- Floating shelf
- 8"d x 1"h
- Widths: 12"w, 30"w, 36"w, 42"w, 48"w, 54"w, 60"w, 66"w, 72"w
- 5 lb max per linear foot
- Can be combined with other shelves and overheads

Wallmount storage box

- Unfinished back
- 13"d x 10"h
- Widths: 30"w, 36"w, 42"w, 48"w, 54"w, 60"w, 66"w, 72"w, 78"w, 84"w, 90"w, 94"w, 96"w, 100"w, 106"w
- 30-42"w two openings, 48"w three openings, 54-84"w has choice of two large openings, or four openings, and 90-106"w has six openings

Wall shelf



[4-7208WS](#) shown

Layered

Shelf with overhead

Storage Box



[4-7210SBW](#) shown

[4-7210SBW2](#) shown

Free standing storage Bench height cabinets

Cabinets

- 19"h
- Single (22x30), double (22x60) and triple (22x90)
- Use alone or with shell desks and credenzas
- Standard with open shelf in each cabinet section
- Additional cabinet configurations in any combination: four tray drawer, tray/file drawer
- Locking standard on Z3 file drawer only

Cushions

- Optional cushion for use with bench height cabinets. Cushion does not need to cover entire bench width
- Total height of bench with cushion is 20.5"h
- Single (22x29.88), double (22x59.88), and triple (22x89.88)

Cabinet standard



standard shelf
[4-3022SHC](#)



standard shelf
[4-6022SHC](#)



standard shelf
[4-9022SHC](#)

Additional cabinet configurations



Four tray (Z2) | tray/file (Z3)

Cushions



Single
[4-3022SC](#)



Double
[4-6022DC](#)



Triple
[4-9022TC](#)

Free standing storage Towers

Wardrobe

- 15.63"w x 24"d x 72.5"h
- Door hinges left or right
- Full length storage with hanging bar
- One adjustable shelf
- Finished back
- Optional locking

Storage wardrobe

- Widths: 30" and 36"w
- Depth: 22"d
- Height: 72.5"h
- Two hinged doors
- Left side: one stationary and three adjustable shelves
- Right side: wardrobe with metal coat rod and one adjustable shelf
- Finished back
- Optional locking

Storage cabinet with laterals

- Widths: 30" and 36"w
- Depth: 22"d
- Height: 72.5"h
- Top section: two hinged doors and two adjustable shelves
- Bottom section: two lateral file drawers and two adjustable shelves
- Anti tilt mechanism

Wardrobe



[4-7216RSW](#)

Storage wardrobe



[4-7230SW](#)

Storage cabinet with laterals



[4-7230SCL](#)

Free standing storage Lateral files | bookcases

Lateral files

- Widths: 30"w and 36"w
- Depth: 22"d
- Heights: 29.94"h (two drawers) and 57.69"h (four drawers)
- Anti tilt mechanism included
- Finished back

Bookcases

- Widths: 30"w and 36"w
- Depth: 14"d
- 29.94"h: one stationary and one adjustable shelf
- 48.5"h: one stationary and two adjustable shelves
- 60.5"h: two stationary and two adjustable shelves
- 72.5"h: two stationary and three adjustable shelves
- Finished back

Lateral files



2 Drawer lateral
[4-3022LF2](#) shown

4 Drawer lateral
[4-3056LF4](#) shown

Bookcases



29.94"h
[4-3030BC](#) shown

48.5"h
[4-3048BC](#) shown

60.5"h
[4-3060BC](#) shown

72.5"h
[4-3072BC](#) shown

Free standing storage Mobile pedestals

Finished top

- 15.63"w x 20.75"d x 25.38"h
- Box and file drawer
- Finished top
- Exposed casters

Cushion top

- 15.63"w x 20.75"d x 20.94"h
- Tray and file drawer
- Seat cushion
- Recessed casters



Finished top
[4-162IMP](#)



Cushion top
[4-162IMPC](#)

Modular Desk surfaces | supports

General

- **Note:** Cannot be used as freestanding unit
- To be used with modular pedestals, end panels and leg supports
- 84" w required modesty or additional support
- Optional center drawer, see accessories section

Rectangular

- Use as main worksurface with modular supports
- Widths: 66", 72", 78", and 84"
- Depth: 30" or 36" d
- Optional grommet: right, left, or right and left

P-shaped

- Widths: 72" or 84"
- Depth: 42" at widest point, 36" d along narrow end
- Use with 4-CB4 or 4-SB4 and end panel
- Handed left or right

Bullet

- Widths: 30x66, 36x72, 36x84
- Use with 4-CB4 or 4-SB4 and end panel

P-shape/bullet bases

- Used to support shaped ends on bullet, P-shaped, and cockpit desk surfaces
- 4-CB4: metal, cylinder, 4" d
- 4-SB4 laminate, tapered, 3.5x3.5

P-shape/bullet end panel

- 4-2930TEP: use with 30" w bullet surfaces
- 4-2936TEP: use with 36" w p-shaped and bullet surfaces
- Brackets required when modesty is not used

P-shape/bullet optional partial modesty

- Modesty styles: laminate or silver frame with frosted acrylic insert, 12" h
- 48" w modesty used with 30x60 bullet tables
- 51" w modesty used with 36x72 bullet tables, 48x72 cockpit bullet tables and 42x72 P-shaped tables
- 63" w modesty used with 36x84 bullet tables, and 42x84 p-shaped tables

Rectangular 30/36" d



[4-7230MCT](#) shown
optional left and right grommet

Peninsula surfaces



P-shape
[4-7242LPT](#) shown



Bullet
[4-7236BT](#) shown

Bases



[4-CB4](#)



[4-SB4](#)

P-shape/bullet end panel



[4-2930TEP](#) shown

Partial modesty



Laminate
[4-1252TMP](#) shown



Silver frame
[4-1252TMPG](#) shown

Modular 22"d worksurface | drawer pedestals

22"d worksurface

- Use as return and credenza worksurfaces, long or short grain
- Long grain widths: 30"-96"w in 6" increments
- Short grain widths: 30"-60"w in 6" increments
- Depth" 22"d
- Maximum unsupported worksurface span is 48"w
- Maximum unsupported worksurface span when using back panel is 72"w
- Optional grommet: any combination of right, left and center locations

Drawer pedestals general

- Cannot be used as freestanding pedestals
- Use with modular cabinet backs or filler panels

Box/box/file

- Use 4-1626MBFC with shell desk 4-7236SHEL.
- **Note:** Use with full height modesty only
- Use 4-1625MBFC, 4-1629MBFC pedestals with 30"d and 36"d worksurfaces
- Use 4-1635MBFC pedestals with 36"d worksurfaces
- Use 4-1621MBFC pedestals with 22" worksurfaces or shell credenza 4-7222SHEL

File/file

- Use 4-1626MFFC with shell desk 4-7236SHEL.
- **Note:** With full height modesty only
- Use 4-1625MFFC, 4-1629MFFC pedestals with 30"d and 36"d worksurfaces
- Use 4-1635MFFC pedestals 36"d worksurfaces
- Use 4-1621MFFC pedestals with 22" worksurfaces or shell credenza 4-7222SHEL


Lateral file

- 30"w or 36"w, 20.75"d
- Anti tilt mechanism
- Use with 22" worksurfaces or shell credenza 4-7222SHEL

Multi file

- 30"w x 20.75"d
- Left or right handed
- Use with 22" worksurfaces or shell credenza 4-7222SHEL

22"d worksurfaces



[4-4822MCT](#) shown (long grain)
optional left, right and center grommet



[4-2248MCT](#) shown (short grain)
optional left, right and center grommet

File/file



[4-1621MBFC](#) shown

Box/box/file



[4-1621MFFC](#) shown

Lateral file



[4-3021MFC](#) shown

Multifile



[4-3021MMFL](#) (left)



[4-3021MMFR](#) (right)

Modular Storage pedestals

- **Note:** Cannot be used as freestanding pedestals
- Use with 22" worksurfaces or shell
credenza 4-7222SHEL

Shelf pedestals

- Open (20"d) or hinged door (20.75"d)
- 30"w or 36"w
- One stationary and one adjustable shelf

CPU pedestal

- 30"w x 20.75"d
- Features open back on left, and adjustable shelf on right side

Shelf pedestals



Open
[4-3021MOC](#) shown



Hinged door
[4-3021MDC](#) shown

CPU pedestal



[4-3021MCP](#)



CPU elevation

Modular Worksurface supports

- End panels: Use 4-2930MEP and 4-2936MEP with 30"d or 36"d worksurfaces. Use 4-2922MEP for 22"d worksurfaces. Must be used with back panel or 4-2812SP. Use 4-2922TEP for full end panel applications
- Support panel is used to create L support, use with end panel or back panel
- Support base is used to support 48"w or longer worksurfaces
- Filler panel is used to fill surface overhang gap behind modular pedestal when back panel is not used
- Wing end assemblies are used to create a breakfront modesty on desk approach side for 30"d and 36"d surfaces. Handed left and right Ships KD
 - 4-1626_WA: use with 30"d worksurface with 4" overhang
 - 4-1630_WA: use with 30"d worksurfaces, no overhang
 - 4-1636_WA: use with 36"d worksurfaces, no overhang
 - Use with desk modesty 4-29__MCB
- Desk modesty is used between two pedestals, two wing assemblies, or one pedestal and one wing assembly. For use on 66"w, 72"w, 78"w, and 84"w modular worksurfaces
- Back panels, vertical grain: 30"-96"w in 6" increments. Use to finish pedestal backs, or span entire modular surface widths. Finished back, optional wire access slot
- Back panels, horizontal grain: 15.63"w, and 30"- 60"w in 6" increments. Use to finish pedestal backs, or span entire modular surface widths. Finished back, optional wire access slot
- Back panel, fold down: Use to maintain quick access to wall power. Spans any width between 12"-94"w in 1/8" increments. Unfinished back. 12"-48"w, one fold down access panel. 48.0625"-94"w, two fold down access panels and center cantilever support
- Tapered leg: tapers from 2.5" at top to 1" at bottom. Supports 22"d worksurfaces. Black or satin nickel, set of two
- Worksurface straightener is used when a span of unsupported worksurface is greater than 48"w. Use one for 22"d worksurfaces, and two for 30"d or 36"d worksurfaces
- Mounting block used with pencil drawer when worksurface straighteners are used. Four per package, black
- Wallmount bracket: Use to support 22"d worksurfaces when wall support base or panel cannot be used between pedestals and/or end panels



End panel
[4-2922MEP](#) shown



Support panel
[4-2812SP](#)



Support base
[4-1212SB](#)



Filler panel
[4-2904BFP](#)



Wing end assemblies
[4-1630LWA](#) shown (left)
[4-1630RWA](#) shown (right)



Desk modesty
[4-2941MCB](#) shown



Back panel vertical grain
optional wire access
[4-2948MCB](#) shown




Back panel horizontal grain
no wire access
[4-4829MCB](#) shown




Back panel with fold down access
[4-29MFBD](#) shown




Tapered legs
[MLX-2](#) (black)
[MLC-2](#) (nickel)



Worksurface straightener
[SPTR48](#) shown



Mounting block
[TFBK](#)



Wallmount bracket
[WALBKT-1](#)

Lighting

Task lights

- For wallmount and highback organizers only
- Fluorescent (TL-1, TL-2 and TL-6): TL-1 cannot be used with 30" or 36" w wallmount organizers, on/off switch
- LED warm light (TL-9, TL-10): Black LED task light, on/off switch
- LED Energy Efficient 5200K (TL-14, TL-15, TL-16): Silver frame, On/Off Switch
- LED task light efficient 3000K TL-27 TL-28 TL-29 TL-30: Black alloy frame, touch and hold dimming


Tilly

- 6" diameter table top base or clamp mount. **Note:** Clamps to worksurfaces 0.5"-1.25" thick
- Single or double arm
- Powder coated aluminum
- Brightness dimming
- 3' silver cord and 9' black 18 WATT wall transformer
- Automatic shutoff after 10 hours
- Optional USB


Ella

- Two heights: freestanding floor lamp or surface mounted
- Frosted acrylic diffuser
- Powder coated aluminum/steel
- Brightness dimming
- 11' cord
- Automatic shutoff after 10 hours
- Optional 2-amp USB-A charging ports (surface mount only)
- **Note:** Surface mount requires a 3.5" diameter hole and mounts to a surface that is .935" to 1.185" thick

Task lights




Fluorescent
[TL-1, TL-2, TL-6](#)



LED
[TL-9, TL-10](#)



LED
[TL-14, TL-15, TL-16](#)



LED
[TL-27, TL-28, TL-29, TL-30](#)

Tilly



[LCA-TL3BM](#) shown

Ella



[LCA-TL1](#)
shown with table base

Power supplies

- OFS offers a wide variety of recessed, undermount, and clamp mounted power supplies. You can view all available power options through this [link](#)



[PS-3UM](#)



[PS-3CM](#)



[PS-77](#)



[PS-69](#)



[PS-71S](#) shown



[PS-92W](#) shown



[PS-100WL](#) shown



[PS-90B](#) shown with H8P accent

Work accessories Keyboard trays | monitor arms

Keyboard trays

- Wood Keyboard Tray WK/S: extendable tray


Monitor arms

- Single or double monitor arms
- Available in silver, black, or white
- Smart base with integrated USB-A and USB-C
- Top down clamp or grommet mount
- Concealed cable management
- For screens 17"-35", weight 4-24.2 lbs

Sit to stand


- Sit to stand monitor/keyboard arm, available with single or double monitor arm
- Desktop sit to stand workstation integrated keyboard tray, space for two monitors, available in white finish

Keyboard trays




Wood keyboard tray
[WK/S](#)

Monitor arms




Single arm
[MA-5](#)




Double arm
[MA-5D](#)

Sit to stand



Monitor/keyboard arm
*single arm shown
[MKA-1SS](#) shown



Workstation
[SSW-1W](#)

Work accessories Work tools

Center drawer

- Integrated pencil tray mounts to underside of surface
- Not compatible with tables that use straighteners or troughs
- Use OCD with single and double pedestal desks and peninsula tops with no modesty
- Use OCD1 with peninsula tops with a modesty

Pencil drawer

- Black molded plastic
- Flush mounts to the underside of worksurface


Pencil tray

- Use in box drawers
- **Note:** Not for use with MPD12 multi file pedestals

CPU Holder


- Mounts to underside of worksurface

Center drawer




OCD/OCD1

Pencil drawer




PD-1

Pencil tray



DA16-1

CPU holder




CPUH-1

Wire management


- Velcro wire manager strip comes in pack of four, not intended for heavy duty cabling
- Cable management clip, mounts to underside of surface, three positions, not intended for heavy duty cabling
- Wire management cord stay comes as a set of two, and can manage cords ¼" diameter along any TFL or veneer item
- Plastic, wire basket, trough and PET wire manager are used to manage user cords horizontally along underside of surface
- Fabric wire manager and table to table connection are commonly used to manage wires that span from a height adjustable surface to a fixed height surface
- Adjustable height wire manager commonly used in stand alone height adjustable table applications




Velcro wire manager
[WM-V4](#)



Cable management
undersurface clip
[CM30-NR](#)



Cord stay
[WMCS](#)



Plastic wire manager
[WM2-36](#) shown



Wire basket manager
[WBT33H](#) shown



Deep wire basket manager
[DWBT33H](#) shown




PET wire manager
[WM-P32](#) shown



Fabric wire manager
[WM-HA6](#)



Height adjustable
table desk manager
[WM-HA](#)



Height adjustable
table to table manager
[WM-HA2](#) shown