

00" B   TN 0000B				
<b>22" Bench</b> TN-2222B				
Overall dimensions	22"w x 22"d x 18"h	Weight	42 lbs.	
Seat dimensions	22"w x 22"d x 18"h	Cubic feet	9	
		COM	2 yds.	
		COL	40 sq. ft.	
<b>33" Bench</b> TN-2233B				
Overall dimensions	33"w x 22"d x 18"h	Weight	58 lbs.	
Seat dimensions	33"w x 22"d x 18"h	Cubic feet	13	
		COM	2.75 yds.	
		COL	55 sq. ft.	
<b>44" Bench</b> TN-2244B				
Overall dimensions	44"w x 22"d x 18"h	Weight	74 lbs.	
Seat dimensions	44"w x 22"d x 18"h	Cubic feet	17	
		СОМ	3 yds.	
		COL	60 sq. ft.	
<b>55" Bench</b> TN-2255B				
Overall dimensions	55"w x 22"d x 18"h	Weight	90 lbs.	
Seat dimensions	55"w x 22"d x 18"h	Cubic feet	20	
		COM	3.5 yds.	
		COL	70 sq. ft.	
Curved bench TN-2222C	В			
Overall dimensions	22"w x 22"d x 18"h	Weight	42 lbs.	^
Seat dimensions	22"w x 22"d x 18"h	Cubic feet	9	
		COM	2 yds.	

Standard features	Optional features
<ul> <li>Fully upholstered</li> <li>Removable seat for storage and modular attachment</li> <li>Fabric must be railroaded for 55" wide units. In order for fabric to be run direct, the roll must be at least 58" wide</li> </ul>	Power location on front of bench (not for curved bench)     1 outlet or 2 outlets with USB

### **22" Table** TN-2222T

Overall dimensions	22"w x 22"d x 15"h	Weight	50 lbs.	
Seat dimensions	22"w x 22"d x 15"h	Cubic feet	9	
		COM	1 yd.	
		COL	20 sq. ft.	
<b>33" Table</b> TN-2233T				
Overall dimensions	33"w x 22"d x 15"h	Weight	70 lbs.	
Seat dimensions	33"w x 22"d x 15"h	Cubic feet	13	
		COM	1.5 yds.	
		COL	30 sq. ft.	
<b>44" Table</b> TN-2244T				
Overall dimensions	44"w x 22"d x 15"h	Weight	50 lbs.	
Seat dimensions	44"w x 22"d x 15"h	Cubic feet	9	
		COM	2 yds.	
		COL	30 sq. ft.	

ofs.comimagine a place\*800.521.5381Spec sheet1 of 7




### **55" Table** TN-2255T

 Overall dimensions
 55"w x 22"d x 15"h
 Weight
 110 lbs.

 Seat dimensions
 55"w x 22"d x 15"h
 Cubic feet
 20

 COM
 1.75 yds.

 COL
 35 sq. ft.



Standard features	Optional features
<ul> <li>Fully upholstered base</li> <li>Removable top for storage and modular attachment</li> <li>Exposed wood composite/studio veneer, laminate or solid surface top</li> <li>Fabric must be railroaded for 55" wide units. In order for fabric to be run direct, the roll must be at least 58" wide</li> </ul>	Power location on front or top of table     1 outlet or 2 outlets with USB

## Short straight wall TN-1122WS

Overall dimensions	22"w x 11"d x 30"h	Weight	40 lbs.	
COM	yds.	Cubic feet	9	
COL	sq. ft.			

## Short straight wall TN-1133WS

Overall dimensions	33"w x 11"d x 30"h	Weight	60 lbs.	
COM	yds.	Cubic feet	12	
COL	sq. ft.			

### Short straight wall TN-1144WS

Overall dimensions	44"w x 11"d x 30"h	Weight	80 lbs.	
COM	yds.	Cubic feet	15	
COL	sq. ft.			

Standard features	Optional features
<ul> <li>Fully upholstered base</li> <li>No buttons</li> <li>Removable top for storage and modular attachment</li> <li>Exposed wood composite/studio veneer, laminate or solid surface top</li> <li>Fabric must be railroaded for 55" wide units. In order for fabric to be run direct, the roll must be at least 58" wide</li> </ul>	<ul> <li>2 rows of buttons with the bottom buttons being removable for modular attachment</li> <li>Standoff for support top (tops sold separately)</li> <li>Optional power supply with 1 electrical and 1 USB on ends and upper rear center on 22" wide units</li> <li>Optional power supply with 1 electrical and 1 USB on center, rear facing left, rear facing right, both rear facing left and right on 33" and 44" wide units</li> </ul>

**ofs.com imagine a place**\* **800.521.5381** Spec sheet 2 of 7



## Short straight wall TN-1122WS

Overall dimensions	22"w x 11"d x 30"h	Weight	40 lbs.	
COM	2 yds.	Cubic feet	9	
COL	40 sq. ft.			

### Short straight wall TN-1133WS

Overall dimensions	33"w x 11"d x 30"h	Weight	60 lbs.	
СОМ	2.5 yds.	Cubic feet	12	
COL	50 sq. ft.			

### Short straight wall TN-1144WS

Overall dimensions	44"w x 11"d x 30"h	Weight	80 lbs.	
COM	3 yds.	Cubic feet	15	
COL	60 sq. ft.			

Standard features	Optional features
<ul> <li>Fully upholstered</li> <li>No buttons</li> </ul>	<ul> <li>2 rows of buttons with the bottom buttons being removable for modular attachment</li> <li>Standoff for support top (tops sold separately)</li> <li>Optional power supply with 1 electrical and 1 USB on ends and upper rear center on 22 wide units</li> <li>Optional power supply with 1 electrical and 1 USB on center, rear facing left, rear facing right, both rear facing left and right on 33" and 44" wide units</li> </ul>

## Short 90° corner wall TN-3333CWS

Overall dimensions	33"w x 33"d x 30"h	Weight	92 lbs.	
СОМ	4.25 yds.	Cubic feet	28	
COL	85 sq. ft.			

### Short curved corner wall TN-3333CCWS

Overall dimensions	44"w x 11"d x 30"h	Weight	92 lbs.	
COM	4.25 yds.	Cubic feet	28	
COL	85 sq. ft.			

Standard features	Optional features
Fully upholstered     No buttons	<ul> <li>2 rows of buttons with the bottom buttons being removable for modular attachment</li> <li>Standoff for support top (tops sold separately)</li> <li>Optional power supply with 1 electrical and 1 USB on rear facing left, rear facing right, and both rear facing left and right</li> </ul>

**ofs.com imagine a place**\* **800.521.5381** Spec sheet 3 of 7




### Tall straight wall TN-1122WT

 Overall dimensions
 22"w x 11"d x 41"h
 Weight
 46 lbs.


 COM
 2.5 yds.
 Cubic feet
 11

 COL
 50 sq. ft.




### Tall straight wall TN-1133WT

Overall dimensions	33"w x 11"d x 41"h	Weight	69 lbs.	
СОМ	3 yds.	Cubic feet	16	
COL	60 sq. ft.			



## Tall straight wall TN-1144WT

Overall dimensions	44"w x 11"d x 41"h	Weight	92 lbs.
COM	4 yds.	Cubic feet	21
COL	80 sq. ft.		



Standard features	Optional features
<ul> <li>Fully upholstered</li> <li>No buttons</li> </ul>	<ul> <li>2 or 3 rows of buttons with the bottom buttons being removable for modular attachment</li> <li>Standoff for support top (tops sold separately)</li> <li>Optional power supply with 1 electrical and 1 USB on ends and upper rear center on 22" wide units</li> <li>Optional power supply with 1 electrical and 1 USB on center, rear facing left, rear facing right, both rear facing left and right on 33" and 44" wide units</li> </ul>

### Tall 90° corner wall TN-3333CWT

Overall dimensions	33"w x 33"d x 41"h	Weight	92 lbs.	
СОМ	4.25 yds.	Cubic feet	28	
COL	85 sq. ft.			

#### Tall curved corner wall TN-3333CCWT

Overall dimensions	44"w x 11"d x 41"h	Weight	92 lbs.	
COM	4.25 yds.	Cubic feet	28	
COL	85 sq. ft.			

Standard features	Optional features
<ul><li>Fully upholstered</li><li>No buttons</li></ul>	<ul> <li>2 or 3 rows of buttons with the bottom buttons being removable for modular attachment</li> <li>Standoff for support top (tops sold separately)</li> <li>Optional power supply with 1 electrical and 1 USB on center, rear facing left, rear facing right, both rear facing left and right</li> </ul>

**ofs.com imagine a place**\* **800.521.5381** Spec sheet 4 of 7



20 sq. ft.

### Back cushions TN-22C

Overall dimensions	22"w x 4"d x 12"h	Weight	2 lbs.
COM	1 yd.	Cubic feet	2



## Back cushions TN-33C

COL

Overall dimensions	33"w x 4"d x 12"h	Weight	2 lbs.	
COM	1.25 yds.	Cubic feet	2	
COL	25 sq. ft.			

Standard features	Optional features
Fully upholstered	Cushion tie downs

### Layover table TN-1111LT

Overall dimensions	11"w x 11"d x 2"h	Weight	3 lbs.	
		Cubic feet	1	

## Layover table TN-2211LT

Overall dimensions	11"w x 22"d x 5"h	Weight	6 lbs.	
		Cubic feet	2	

Standard features	Optional features
Exposed wood frame with silver back     TN-1111LT recommended for wall units	
TN-111LT recommended for bench units     TN-2211LT recommended for bench units	

### Power Module TN-2211PM

Overall dimensions	11"w x 22"d x 15"h	Weight	38 lbs.	
		Cubic feet	6	

Standard features	Optional features
Exposed wood composite/studio veneer, or HPL laminate Case	
Power supply with two electrical outlets	

### Clamp Plate CP-2

Overall dimensions	4"w x 4"d x .125"h	Weight	1 lbs.	
		Cubic feet	n/a	

Standard features	Optional features
Sold individually     Black finish	
Clamp plate kit is recommended if attaching benches or	
tables to one side of the wall only. This is necessary to eliminate any potential tipping if excess weight is pushing against open side of wall. Clamp plate not required on	
corner walls.	
- Qty. 1 Clamp Plate recommended for 22" straight wall	
<ul> <li>Qty. 2 Clamp Plate recommended for 33" straight wall</li> <li>Qty. 2 Clamp Plate recommended for 44" straight wall</li> </ul>	

**ofs.com imagine a place**\* **800.521.5381** Spec sheet 5 of 7



## **Product specifications**

### Top for wall TN-1122TP

Overall dimensions	21"w x 18"d x 1.0375"h	Weight	10 lbs.	
Use with	TN-1122WS, TN-1122WT	Cubic feet	1	

### Top for wall TN-1133TP

Overall dimensions	32"w x 18"d x 1.0375"h	Weight	15 lbs.	
Use with	TN-1133WS, TN-1133WT	Cubic feet	2	

## Top for wall TN-1144TP

Overall dimensions	43"w x 18"d x 1.0375"h	Weight	20 lbs.	
Use with	TN-1144WS, TN-1144WT	Cubic feet	2	

### Top for square corner wall TN-3333STP

Overall dimensions	40"w x 40"d x 1.0375"h	Weight	28 lbs.	
Use with	TN-3333CWS, TN-3333CWT	Cubic feet	3	

### Top for curved corner wall TN-3333CTP

Overall dimensions	40"w x 40"d x 1.0375"h	Weight	24 lbs.	
Use with	TN-3333CCWS, TN-3333CCWT	Cubic feet	3	

Standard features	Optional features
Must be used with standoff option on wall units     Must order tool TN-TOOL1 to attach top     Exposed wood composite/studio veneer, HPL laminate or solid surface	

### Top attachment tool TN-TOOL1

Overall dimensions	n/a	Weight	1 lbs	
Use with	Tops	Cubic feet	.08	

imagine a place® 800.521.5381 Spec sheet 6 of 7 ofs.com



Standard textile / finish selection				
	https://ofs.com/resources/textiles https://ofs.com/resources/finishes			
Frame construction				
Walls	Plywood assembly with foam and upholstery applied			
Benches & Tables	MDF assembly with Foam and upholstery applied			
Power Module	• ¾ thick particle board core faced with Veneer or HPL			
Table top				
Table	2" thick MDF core faced with Veneer or HPL, or Solid surface with 1.4" MDF core			
Power module	2" thick MDF core faced with Veneer or HPL			
Wall tops	1" thick Veneer, HPL, or Solid surface			
Foam				
Bench seat	MDF seat panel with 4" thick premium grade foam: 2" MR40 core and 2" MR30 top			
Back cushion	MR 40 premium grade foam			
Wall/bench sides	0.5" thick premium grade foam			

#### Power

H2H or T2HtTwo 15 amp outlets and 4 USBH6S, H6U, H6V, H6TOne 15 amp outlet and 2 USB

**ofs.com imagine a place**\* **800.521.5381** Spec sheet 7 of 7