

Room Collection building blocks



Table of contents

Series overview

Configurations	3
Finishes	4
Meeting tables	5
Monitor mounts	6

Room S configurable

Structure	7
Meeting Room	8

Room M configurable

Structure	9
Meeting Room	10

Room L configurable - 2m door

Structure	11
Meeting Room	12

Room L configurable - 3m door

Structure	13
Meeting Room	14

Furniture

Height adjustable desk	15
The chair	16
Credenza	16
Bench kits	17

Accessories

Whiteboard	18
Booking bracket	18

Series overview Configurations

General notes

- Refer to [planning guide](#) for additional how to specify information
- Refer to following pages for more information on each room size and interior components

Model configurations

- Models are available as a structure, or as a Meeting Room with a table
- Structure models can utilize Room collection furniture to create an office, or utilize other furniture that would fit within the interior dimensions
- Structure models can be specified with tambour or upholstered lower walls
- Meeting Room models can be used with Room benches, or other seating that would fit within the space. **Note:** Meeting Rooms can be specified with lower tambour walls only

Wall power

- One power wall is standard for all Room configurable models. Choose left, center, or right configuration location

Wall power, continued

- Power supplies for walls can be specified in left, right, or both locations
- Each power supply includes three outlets
- **Note:** Wall power cannot be specified on entry, table, or glass walls

Glass walls

- Entry wall standard with a door and windows
- Additional window walls can be specified on non powered walls for M and L models
- **Note:** Table and power walls will always be full wall, glass cannot be specified here

Infeed location

- Refer to planning guide for infeed locations
- Infeed cord is 12' plug and play cord, with 10' of usable length once cord exits unit

Wall power



Left and right locations shown on Room S configurable

Glass walls



Center and right locations shown on Room M configurable

Series overview Finishes

Exterior finishes

- Off-White or Anthracite

Carpet

- Standard as dark grey

Interior tambour

- Standard as light oak

Interior Upholstery

- Camira Blazer: Fairfield or Aberlour
- **Note:** Fairfield is recommended for Off-White exterior, Aberlour is recommended for Anthracite exterior

Exterior finishes



Off-White



Anthracite

Interior upholstery



Camira, Blazer, Fairfield
recommended for Off -White



Camira, Blazer, Aberlour
recommended for Anthracite

Series overview Meeting tables

General notes

- Meeting Room models include a table wall and are available in all three sizes
- Tables can be specified as small, medium, or large

Application

- **Note:** Table sizes available in each model are based on Room size, and table wall location
- Room S is standard with small table on the center wall
- Room M can accept a small table on any wall location, or a medium table on the center wall
- Room L with a 2 meter opening can accept a small, medium, or large table on the center wall
- Room L with a 3 meter opening can accept a small, medium, or large table on the left or right wall

Small table

- Dimensions: 31.5"w x 33"d
- Seats 2-4

Medium table

- Dimensions: 54"w x 33"d
- Seats 4-6

Large table


- Dimensions: 79.5"w x 33"d
- Seats 6-8

Table power


- Standard table power: three AC sockets, two pass through ethernet couplers, USB-A/C charging port
- Pro table power: includes same as standard, plus two pre routed HDMI and USB-C/USB-C cables marked with monitor and camera icons
- **Note:** Select pro if hardwired monitor and camera are used

Table sizes


shown on Room L with 2m door



Small table



Medium table



Large table

Series overview Monitor mounts

General notes

- Monitor mounts are specified in models with or without meeting tables

Small monitor mounts

- Standard includes area for 27" monitor
- Recommended optional video power includes 27" HD monitor and Jabra PanaCast 50 webcam
- **Note:** Small monitor mounts can only be specified above tables


Large monitor mounts

- Standard accommodates monitors up to 65 lbs. and between 30" and 50". Bracket includes two AC outlets and attachment for MiniPC or streaming device. **Note:** Does not include camera mount
- **Note:** Large monitor mounts can be specified centered on any 2 or 3 meter wall, as long as infeed walls are specified at any mounting points

Small monitor mount



2UFFF




Line art view

Large monitor mount



2UFMMM



Line art view

Room S Structure

General notes

- Lower wall panel: tambour or upholstered
- Exterior dimensions: 90.6" w x 47.2" d x 92.5-94" h
- Interior dimensions: 84.7" w x 41.3" d x 88.1-89.6" h

Power wall

- One power wall standard in either back wall location
- Wall power supply can be specified as left, right, or both locations

Door and wall configuration

- Entry standard with door and glass wall
- Specify door location as left, right, or center.
Center location hinged left or right
- **Note:** Remaining walls will be solid, no glass option

Lower wall panel



[RCC-S-CTN](#)
Tambour panel



[RCC-S-CUN](#)
Upholstered panel

Door locations



Left hinged door (DLLT)



Right hinged door (DLRT)



Centered (DLCT)
left hinged door (DHLT)



Centered (DLCT)
right hinged door (DHRT)

Room S Meeting Room

General notes

- Lower wall panel: tambour with small meeting table
- Exterior dimensions: 90.6" w x 47.2" d x 92.5-94" h
- Interior dimensions: 84.7" w x 41.3" d x 88.1-89.6" h
- Recommended to be used with [small bench kit](#)

Door location

- Entry standard with door and glass wall
- Door location is centered, hinged left or right

Table wall location

- Standard on center wall
- Small meeting table only

Table power

- Tables are standard with three AC sockets, two pass through ethernet couplers, USB-A/C charging port
- See [table power section](#) on meeting table page for additional information

Monitor mount

- Standard with no mount on wall above TV
- Optional small or large monitor mount. See [monitor mount page](#) for additional information

Door locations



[RCC-S-CTY](#)
Centered left hinged door



Centered right hinged door

Room M Structure

General notes

- Lower wall panel: tambour or upholstered
- Exterior dimensions: 90.6" w x 90.6" d x 92.5"-94" h
- Interior dimensions: 84.7" w x 84.7" d x 88.1"-89.6" h

Roof orientation

- Perpendicular or parallel to door

Door and wall configurations

- Entry wall features door and glass wall
- Specify door location as left, right, or center.
Center location hinged left or right
- Additional non powered walls can be specified as glass wall

Power location

- One power wall standard on left, center, or right wall. **Note:** Power cannot be specified on glass walls
- Specify power supply location as left, right, or both locations
- Each power supply includes three outlets
- **Note:** Optional large monitor mount when two infeeds are specified on the power wall

Options

- Optional large monitor mount when the power wall infeed location is specified as both

Lower panel



RCC-S-CTN shown (center power)
tambour panel



RCC-S-CUN shown (center power)
upholstered panel

Roof orientation



Perpendicular



Parallel

Door location



Left hinged door



Right hinged door



Centered left hinged door



Centered right hinged door

Room M Meeting table

General notes

- Lower wall panel: tambour with meeting table
- Exterior dimensions: 90.6" w x 90.6" d x 93 1/4" h
- Interior dimensions: 84.7" w x 84.7" d x 88.1-89.6" h
- Recommended to be used with [medium bench kit](#)

Roof orientation

- Perpendicular or parallel to door

Door location

- Specify door location as left, right, or center.
Center location hinged left or right

Table wall

- Specify on left, center, or right wall
- Tables are standard with three AC sockets, two pass through ethernet couplers, USB-A/C charging port
- See [table power section](#) on meeting table page for additional information

Monitor mount

- Standard with no mount on wall above TV
- Optional small or large monitor mount. See [monitor mount page](#) for additional information

Roof orientation



Perpendicular



Parallel

Door location



Left hinged door



Right hinged door



Centered left hinged door



Centered right hinged door

Table wall location



Left wall



Center wall



Right wall

Room L Structure | 2m door location

General notes

- Door will be located on 2-meter side
- Lower wall panel: tambour or upholstered
- Exterior dimensions: 132.9"w x 90.6"d x 92.5-94"h
- Interior dimensions: 126.9"w x 84.7"d x 88.1-89.6"h

Door location

- Entry features door and glass wall
- Specify door location as left, right, or center. Center location hinged left or right

Power location

- One power wall standard on left, center, or right wall

- Wall power location dependent on wall width:
 - 2m side: specify as left, right, or both locations
 - 3m side: specify as left, right, center, left/center, right/center, left/right, or left/right/center. Each power location includes three outlets
- Each power location includes three outlets

Options

- Optional large monitor mount when the power wall infeed is specified as follows:
 - Left and right power wall locations: specify as left/center, right/center, center, or left/center/right
 - Center power wall location: specify as both

Lower panel



RCC-L2-CTN shown
center power wall with lower
tambour panel



RCC-L2-CUN shown
center power wall with lower
upholstered panel

Door location



Left hinged door



Right hinged door



Centered left hinged door



Centered right hinged door

Room L Meeting table | 2m door location

General notes

- **Note:** Meeting table only available when specified on the center wall
- Lower wall panel: tambour with meeting table
- Exterior dimensions: 132.9"w x 90.6"d x 92.5-94"h
- Interior dimensions: 126.9"w x 84.7"d x 88.1-89.6"h
- Recommended to be used with [large bench kit](#)

Door location

- Specify door location as left, right, or center. Center location hinged left or right

Table wall

- Table can be specified as small, medium, or large
- Tables are standard with three AC sockets, two pass through ethernet couplers, USB-A/C charging port
- See [table power section](#) on meeting table page for additional information

Monitor mount

- Standard with no mount on wall above TV
- Optional small or large monitor mount. See [monitor mount page](#) for additional information

Door location



Left hinged door



Right hinged door



Centered left hinged door



Centered right hinged door

Table wall location



Center wall

Room L Structure | 3m door location

General notes

- Door will be located on 3-meter side
- Lower wall panel: tambour or upholstered
- Exterior dimensions: 132.9"w x 90.6"d x 92.5-94"h
- Interior dimensions: 126.9"w x 84.7"d x 88.1-89.6"h

- Wall power location dependent on wall width:

- 2m side: specify as left, right, or both locations
- 3m side: specify as left, right, center, left/center, right/center, left/right, or left/right/center. Each power location includes three outlets

Door location

- Entry features door and glass wall
- Specify door location as left, right, or center. Center location hinged left or right

Power location

- One power wall standard on left, center, or right wall

Options

- Optional large monitor mount when the power wall infeed is specified as follows:
 - Left and right power wall locations: specify as both
 - Center power wall location: specify as left/center, right/center, center, or left/center/right

Lower panel




[RCC-L3-CTN](#) shown
center power wall with lower
tambour panel



[RCC-L3-CUN](#) shown
center power wall with lower
upholstered panel

Door location



Left hinged door



Right hinged door



Centered left hinged door



Centered right hinged door

Room L Meeting table | 3m door location

General notes

- **Note:** Meeting table only available when specified on the left or right wall
- Lower wall panel: tambour with meeting table
- Exterior dimensions: 132.9"w x 90.6"d x 92.5-94"h
- Interior dimensions: 126.9"w x 84.7"d x 88.1-89.6"h
- Recommended to be used with [large bench kit](#)

Door location

- Specify door location as left, right, or center. Center location hinged left or right

Table wall

- Table can be specified as small, medium, or large
- Tables are standard with three AC sockets, two pass through ethernet couplers, USB-A/C charging port.
- See [table power section](#) on meeting table page for additional information

Monitor mount

- Standard with no mount on wall above TV
- Optional small or large monitor mount. See [monitor mount page](#) for additional information

Door location



Left hinged door



Right hinged door




Centered left hinged door




Centered right hinged door

Table wall location



Left wall shown with large table



Right wall shown with large table

Furniture Height adjustable desk

General notes

- Sit to stand desk
- Height range: 28.5"h-48"h
- Surface finish: DK (Pebble) or LT (Pewter)
- Base finish: coordinates with surface selection
- Power: three outlets, one USB-A/C charging port. Cord 4' long

Medium desk

- Best suited for Room M and L
- Dimensions: 54"w x 27"d
- Power location centered along worksurface depth. Can be installed on left or right side

Small desk

- Best suited for Room S
- Dimensions: 40"w x 26.25"d
- Features above worksurface apron along back and sides
- Power location in top right corner on user side

Small desk



[RC-FAO-40A-DK-D](#)
Pebble

[RC-FAO-40A-LT-D](#)
Pewter

Plan view

Medium desk



[RC-FAO-54A-DK-D](#)
Pebble

[RC-FAO-54A-LT-D](#)
Pewter

Plan view
power shown on right

Furniture The chair

General notes

- Width: 19.5"w
- Overall depth: 20.75"d
- Overall height: 32"h
- Seat height: 18"h
- Seat depth: 17"d
- Molded curved plywood shell with premium grade foam on seat and back

- 4-prong powder coated swivel base
- Hard casters

Finishes

- Light: Maharam, Meld, Antler textile, Bone White powder coat base, medium grey casters
- Dark: Maharam, Meld, Panda textile, Ion powder coat base, black casters



[RC-FAQ-HCH-LT-D](#)



[RC-FAQ-HCH-DK-D](#)

Furniture Credenza

General notes

- Width: 39.75"w
- Depth: 11.5"d
- Height: 31"h
- Sliding perforated door

Finishes

- DK: Pebble
- LT: Pewter



[RC-FAQ-SCR-DK-D](#)
Pebble (DK)



[RC-FAQ-SCR-LT-D](#)
Pewter (LT)

Furniture Bench kits

General notes

- Sold as sets of two
- Overall depth: 24.5"d
- Overall height: 31"h
- Seat height: 18.5"h
- Seat depth: 17"d

Textile

- OFS, Prime, Pebble
- OFS, Prime, Pewter

Small bench kit

- Best suited for small meeting table
- Width: 39"w

Medium bench kit

- Best suited for medium meeting table
- Width: 54"w

Large bench kit

- Best suited for large meeting table
- Width: 78"w. **Note:** Large bench consists of two 39"w benches with center leg support per side

Small bench



[RC-FPK-SMR-LT-D](#) Pewter (shown)
[RC-FPK-SMR-DK-D](#) Pebble

Medium bench



[RC-FPK-MMR-LT-D](#) Pewter (shown)
[RC-FPK-MMR-DK-D](#) Pebble

Large bench



[RC-FPK-LMR-LT-D](#) Pewter (shown)
[RC-FPK-LMR-DK-D](#) Pebble

Furniture Whiteboard

Small whiteboard

- Natural oak wood frame
- Attaches to internal wall rail

Small whiteboard

- Width: 25.25"w
- Depth: 1"d
- Height: 50"h
- Finish: Off-White or Anthracite
- Includes magnetic eraser

Large whiteboard

- Width: 33"w
- Depth: 1.25"d
- Height: 56"h

Small whiteboard



[RC-FAO-SWB-LT-D](#)
Off-White



[RC-FAO-SWB-DK-D](#)
Anthracite



Shown in Room S

Large whiteboard



[RC-FAO-LWB-NA-D](#)



Shown in Room S

Furniture Booking bracket

- Width: 8.25"w
- Depth: 2"d
- Height: 3"h
- Finish: Off-White or Anthracite
- Integrate any booking system currently being used by your team
- Attaches to all Room Collection exteriors
- **Note:** Tablet not included



[RC-FAO-BBR-LT-D](#) Off-White



[RC-FAO-BBR-DK-D](#) Anthracite